

SERPANTIN CLEANER

code:

AIR CONDITIONER CLEANER AND POLISHER - NON-ACID

FOR FOOD SECTOR, OIL, DIRT,
RUST, REMOVER

USAGE AREAS:



USAGE :

High concentration. It is used by diluting with water between 1/10 and 1/20 according to the degree of pollution of the surface.

Spray or apply to the surface, wait 2-3 minutes, then rinse with water. It is not used as pure.

ATTENTION:

- * Shake well before use.
 - * Damages the polished and painted surface.
 - * Avoid contact with skin, wear protective gloves and goggles; Never breathe fumes or vapors.
 - * If swallowed, do not induce vomiting; Go to the health facility with the label.
- PH-14 in 15% solution
- * Store the product at room temperature.



PACKING TYPE:HDPE

WEIGHT:1 KG -5KG

SMELL:

COLOR:

COLD CLEANER

code:

AIR CONDITIONER CLEANER AND POLISHER - NO RINSING, (NON-ACID)

FOR FOOD SECTOR; OIL, DIRT REMOVER AND DISINFECTING CHEMICAL



USAGE :

It is used by diluting with 1/3 to 1/5 water.
Sprayed on the surface; then the air conditioner is also switched on if you're cold.
After 3-5 hours or 5-15 minutes, rinsing can be performed if necessary.
The drain hose must be open during operation.
Food units must be rinsed.

PACKING TYPE:HDPE

WEIGHT: 1 KG

SMELL:

COLOR:



PRO-AKTIV CLEAN

code:

AIR CONDITIONER CLEANER - OIL DIRT REMOVER CHEMICAL FOR FOOD INDUSTRY



USAGE:

It is applied by diluting with 1/3 to 1/5 water and applying with pressure pump or brush. After 3-5 minutes, rinse with normal water.

ATTENTION:

- * Not flammable and flammable
- * Use protective gloves during use, avoid sprinkles.
- * It takes the natural oil of the skin to dry.
- * If swallowed, this label should be applied to the nearest health institution.



PACKING TYPE:HDPE

WEIGHT:1 KG -5KG

SMELL:

COLOR:


SUPERSOL PLUS

code:

SOLVENT BASED OIL, DIRT, PAINT REMOVER

USAGE AREAS:

It is used in oil and dirt cleaning and dehumidification of all electric motors, windings, coils and ducts of cooling systems and electronic cards, and as paint cleaner in printing machines.



ATTENTION:

- * It takes the natural oil of the skin and causes it to dry.
- * Store the product at room temperature. (Combustible)
- * Do not mix with water.
- * If swallowed, this label should be applied to the nearest health institution.

PACKING TYPE:HDPE

WEIGHT: 5 KG

SMELL:

COLOR:



CARBOSOL

code:

HEAVY OIL, DIRT, CARBON, WAX, PAINT, FUEL OIL REMOVER

USAGE AREAS:

- * Automotive industry carburetor and engine parts (piston ring valve spring, etc.)
- * Burner tip of the heating systems fuel oil carrier hoses diesel engine injectors used in the cleaning of mechanical parts in textiles.
- * Used in oil and dirt cleaning and moisture removal in the ducts of cooling systems
- * Used for cleaning glue, adhesive-like materials



ATTENTION:

- * It is used by dipping or spraying brushing method. Air pressure is applied for pipe cleaning. It gives excellent results.
 - * Do not breathe vapor, avoid contact with skin for a long time.
- If swallowed, this label should be applied to the nearest health institution.



PACKING TYPE:HDPE

WEIGHT: 5 KG

SMELL:

COLOR:

SCALE OFF

code:

COMBI AND EXCHANGER CLEANING CHEMICAL

USAGE AREAS:

Due to its high water hardness, it dissolves heavy particles (Calcium, Magnesium, Silicon Iron) and similar deposits in the system and on the surface, The damage to the system is minimized by the inhibitor it contains.



USAGE

Since it has high concentration, it can be used by diluting 1/1 to 1/5.

Good results are obtained by immersion or by circulation in closed systems.

ATTENTION:

* Acidic, irritating to skin, face and eye protection, skin contact should be washed with plenty of water.

If swallowed, this label should be applied to the nearest health institution.



PACKING TYPE:HDPE

WEIGHT:1.5 KG -5KG

SMELL:

COLOR:

LIME OUT

code:

COMBI, EXCHANGER, AIR CONDITIONER CLEANER - WITH ACID

USAGE AREAS:

A concentrated product is used by diluting 1/3 to 1/10. It is used in heating and cooling systems due to high water hardness and to remove deposits formed on surfaces.

It is an ideal product used in chiller, boiler, steam boiler and water towers.



USAGE:

PACKING TYPE:HDPE

WEIGHT:1.5 KG

SMELL:

COLOR:

The product is biodegradable and does not harm the nature. The product is bioc does not harm the nature.



LIME OUT

code:

WASHING AND DISHWASHING MACHINE CLEANER

USAGE AREAS:

Washing and dishwashing machines,
household appliances,
It is used to clean the pollution
caused by high water hardness.



Not:
It reduces the performance of the device by clinging the heavy minerals (magnesium, calcium, silicon) in the water to the water circulation surface of the device.
This reduces the cleaning quality. There is a bad smell in the laundry, scratches and dulling occurs in the dishes, more water and energy consumption is.
Clean devices makes washing in a shorter period of time and provides energy saving.

USAGE:
Two bags of 2X50 grams when first used
then use 1x50 grams per month.
Add to Detergent Hopper
Set the device to 80 degrees and
select a short program
operate the device empty.

Do this application once a month.
Your device will see the employee
last longer

The product is biodegradable and
does not harm nature.



PACKING TYPE:HDPE
WEIGHT: 5X50 GR / 10X50 GR
SMELL:
COLOR:


COMBI PROTECTIVE

code:

WTC-CL 1 COMBI PROTECTION AND CLEANING

USAGE AREAS:

WTC-CL1 Closed-circuit water-operated heating-cooling devices; substances such as solids dissolved in water (silicon, magnesium, calcium, phosphate, phosphanate) give activity. Prevents clinging to the system.



ATTENTION:

- * 100% water soluble
- * Avoid contact with skin and eyes
- * If swallowed, this label should be applied to the nearest health institution.

Note: This saves energy; Increases heating and cooling efficiency.



PACKING TYPE:HDPE

WEIGHT:1.5 KG

SMELL:

COLOR:

MAGIC

code:


MULTI-WAY ACID CLEANER

USAGE AREAS:

It is a concentrated product used in cleaning of organic and mineral residues on all surfaces which are not affected by water.

It is used for cleaning chrome, granite, tiles, floor in food preparation units in places like Hotel, School, Hospital.

Mold fungus prevents the formation of bad odor and cleans.



ATTENTION:

- * The product must be rinsed after use.
- * Since it is concentrated, it should be diluted between 1 / 3-1 / 5.
- * In case of contact with skin, wash with plenty of water.
- * If swallowed, this label should be applied to the nearest health institution.



PACKING TYPE:HDPE

WEIGHT: 5 KG

SMELL:

COLOR:

PINKY DEGRASSER

code:

WATER BASED INDUSTRIAL OIL DIRT REMOVER

USAGE AREAS:

It is a more economical and safer product than dangerous and flammable materials such as gas, gasoline and diesel.



USAGE :

1/3 diluted with water between 1/10.

It can be used safely on painted aluminum surfaces.

Since it contains corrosion inhibitor, it does not cause corrosion and corrosion on metal surfaces.

ATTENTION:

* S-26 In case of contact with eyes and skin, wash with plenty of water. * Wear protective gloves and clothing when using

* S-36/37/39

* S-46 * If swallowed, this label should be applied to the nearest health institution.



PACKING TYPE:HDPE

WEIGHT: 5KG - 30 KG

SMELL:

COLOR: